ELSEVIER

Molecular Brain Research 50 (1997) 319–321

MOLECULAR BRAIN RESEARCH

Author Index

Adachi, A., see Okano, T. (50) 190
Almazan, G., see Burcelin, R. (50) 9
Amaratunga, A., see Shanmugaratnam, J. (50) 113
Anthony, T.E. and Azmitia, E.C.
Molecular characterization of antipeptide antibodies against the 5-HT_{1A} receptor: evidence for state-dependent antibody binding (50) 277
Asanuma, M., see Iwata, E. (50) 213
Azmitia, E.C., see Anthony, T.E. (50) 277

Bachmann, M., see Eravci, M. (50) 221
Barnum, S.R., see Stahel, P.F. (50) 205
Baumgartner, A., see Eravci, M. (50) 221
Berg, E., see Shanmugaratnam, J. (50) 113
Bezin, L., Diaz, J.-J., Marcel, D., Le Cavorsin, M., Madjar, J.-J., Pujol, J.-F. and Weissmann, D.
Controlled targeting of tyrosine hydroxylase protein toward processes of locus coeruleus neurons during postnatal development (50) 23
Bishop, J.F., Joshi, G., Mueller, G.P. and Mouradian, M.M.
Localization of putative calcium-responsive regions in the rat BDNF gene (50) 154
Black, J.A., see Fjell, J. (50) 197
Böttiger, B., see Gillardon, F. (50) 16
Bryan, D., see Sugaya, K. (50) 305
Burcelin, R., Rodriguez-Gabin, A.G., Charron, M.J., Almazan, G. and Larocca, J.N.
Molecular analysis of the monomeric GTP-binding proteins of oligodendrocytes (50) 9

Calas, A., see Fetissov, S. (50) 314
Carter, D.B., see Stratman, N.C. (50) 107
Charron, M.J., see Burcelin, R. (50) 9
Cho, S., Han, J., Sun, W., Choi, D., Kwon, H.B., Jarry, H., Wuttke, W. and Kim, K.
Evidence for autocrine inhibition of gonadotropin-releasing hormone (GnRH) gene transcription by GnRH in hypothalamic GT1-1 neuronal cells (50) 51
Choi, D., see Cho, S. (50) 51
Clamp, C., see Sugaya, K. (50) 305
Coghlan, J.P., see Sinnayah, P. (50) 43
Colvin, R.A., see Yu, L. (50) 285
Compan, V., Salin, P. and Daszuta, A.
Selective effects of partial and severe lesions of the serotonergic systems on Met-enkephalin and substance P neurons in rat basal ganglia (50) 246

Danielsen, N., see Mulder, H. (50) 127
Da Silva Fernandes, M.J., see Motte, J.E. (50) 79
Daszuta, A., see Compan, V. (50) 246
Daunais, J.B., Hart, S.L., Hedgecock-Rowe, A., Matasi, J.J., Thornley, C., Davies, H.M.L. and Porrino, L.J.
Alterations in behavior and opioid gene expression induced by the novel tropane analog WF-31 (50) 293
Davies, H.M.L., see Daunais, J.B. (50) 293
De Bergeyck, V., Nakajima, K., Lambert de Rouvroit, C., Naerhuyzen, B., Goffinet, A.M., Miyata, T., Ogawa, M. and Mikoshiba, K.
A truncated Reelin protein is produced but not secreted in the 'Orleans' reeler mutation (*Reln*$^{rl\text{-}Orl}$) (50) 85
Diaz, J.-J., see Bezin, L. (50) 23
Dib-Hajj, S., see Fjell, J. (50) 197
Dragunow, M., see Walton, M. (50) 165
Du, X. and Iacovitti, L.
Multiple signaling pathways direct the initiation of tyrosine hydroxylase gene expression in cultured brain neurons (50) 1
Dutertre, M., see Liévens, J.-C. (50) 181

Ebihara, S., see Okano, T. (50) 190
Eravci, M., Großpietsch, T., Pinna, G., Schulz, O., Kley, S., Bachmann, M., Wolffgramm, J., Götz, E., Heyne, A., Meinhold, H. and Baumgartner, A.
Dopamine receptor gene expression in an animal model of 'behavioral dependence' on ethanol (50) 221
Eve, D.J., Nisbet, A.P., Kingsbury, A.E., Temlett, J., Marsden, C.D. and Foster, O.J.F.
Selective increase in somatostatin mRNA expression in human basal ganglia in Parkinson's disease (50) 59

Fetissov, S., Marsais, F., Nicolaïdis, S. and Calas, A.
Expression of tyrosine hydroxylase in magnocellular hypothalamic neurons of obese (*fa/fa*) and lean heterozygous (*Fa/fa*) Zucker rats (50) 314
Fine, R.E., see Shanmugaratnam, J. (50) 113
Fjell, J., Dib-Hajj, S., Fried, K., Black, J.A. and Waxman, S.G.
Differential expression of sodium channel genes in retinal ganglion cells (50) 197
Forni, C., see Liévens, J.-C. (50) 181
Forsling, M.L., see Mancuso, C. (50) 267
Foster, O.J.F., see Eve, D.J. (50) 59
Fried, K., see Fjell, J. (50) 197
Fukada, Y., see Okano, T. (50) 190

Gabaizadeh, R., Staecker, H., Liu, W. and Van De Water, T.R.
BDNF protection of auditory neurons from cisplatin involves changes in intracellular levels of both reactive oxygen species and glutathione (50) 71
Gillardon, F., Böttiger, B., Schmitz, B., Zimmermann, M. and Hossmann, K.-A.
Activation of CPP-32 protease in hippocampal neurons following ischemia and epilepsy (50) 16
Gluckman, P.D., see Walton, M. (50) 165
Goffinet, A.M., see De Bergeyck, V. (50) 85
Götz, E., see Eravci, M. (50) 221
Großpietsch, T., see Eravci, M. (50) 221
Grossman, A.B., see Mancuso, C. (50) 267

Han, J., see Cho, S. (50) 51
Hans, V.H.J., see Stahel, P.F. (50) 205
Haralambidis, J., see Sinnayah, P. (50) 43
Hart, S.L., see Daunais, J.B. (50) 293
Hedgecock-Rowe, A., see Daunais, J.B. (50) 293
Hendriksen, H., Kamphuis, W. and Lopes da Silva, F.H.
Changes in voltage-dependent calcium channel α_1-subunit mRNA levels in the kindling model of epileptogenesis (50) 257
Heyne, A., see Eravci, M. (50) 221
Hirunagi, K., see Okano, T. (50) 190
Hossmann, K.-A., see Gillardon, F. (50) 16

Iacovitti, L., see Du, X. (50) 1
Iwata, E., Asanuma, M., Nishibayashi, S., Kondo, Y. and Ogawa, N.
Different effects of oxidative stress on activation of transcription factors in primary cultured rat neuronal and glial cells (50) 213

Jarry, H., see Cho, S. (50) 51
Johnson, R.J., see Shanmugaratnam, J. (50) 113
Jope, R.S. and Song, L.
AP-1 and NF-κB stimulated by carbachol in human neuroblastoma SH-SY5Y cells are differentially sensitive to inhibition by lithium (50) 171
Joshi, G., see Bishop, J.F. (50) 154

Kachab, E., see Sinnayah, P. (50) 43
Kamphuis, W., see Hendriksen, H. (50) 257
Keelan, J., see Walton, M. (50) 165
Kerkerian-Le Goff, L., see Liévens, J.-C. (50) 181
Kim, K., see Cho, S. (50) 51
Kimerer, L., see Shanmugaratnam, J. (50) 113
Kingsbury, A.E., see Eve, D.J. (50) 59
Kley, S., see Eravci, M. (50) 221
Kolb, P.E., see Tseng, J.Y. (50) 100
Kondo, Y., see Iwata, E. (50) 213
Kossmann, T., see Stahel, P.F. (50) 205
Kostoglou-Athanassiou, I., see Mancuso, C. (50) 267
Kuroyanagi, H., see Mukouyama, Y. (50) 230
Kwon, H.B., see Cho, S. (50) 51

Lambert de Rouvroit, C., see De Bergeyck, V. (50) 85
Larocca, J.N., see Burcelin, R. (50) 9
Le Cavorsin, M., see Bezin, L. (50) 23
Liévens, J.-C., Dutertre, M., Forni, C., Salin, P. and Kerkerian-Le Goff, L.
Continuous administration of the glutamate uptake inhibitor L-*trans*-pyrrolidine-2,4-dicarboxylate produces striatal lesion (50) 181
Liu, J., Merlie, J.P., Todd, R.D. and O'Malley, K.L.
Identification of cell type-specific promoter elements associated with the rat tyrosine hydroxylase gene using transgenic founder analysis (50) 33
Liu, W., see Gabaizadeh, R. (50) 71
Lopes da Silva, F.H., see Hendriksen, H. (50) 257
Lovati, E., see Riva, M.A. (50) 136

Madjar, J.-J., see Bezin, L. (50) 23
Mancuso, C., Kostoglou-Athanassiou, I., Forsling, M.L., Grossman, A.B., Preziosi, P., Navarra, P. and Minotti, G.
Activation of heme oxygenase and consequent carbon monoxide formation inhibits the release of arginine vasopressin from rat hypothalamic explants. Molecular linkage between heme catabolism and neuroendocrine function (50) 267
Marcel, D., see Bezin, L. (50) 23
Marescaux, C., see Motte, J.E. (50) 79
Marsais, F., see Fetissov, S. (50) 314
Marsden, C.D., see Eve, D.J. (50) 59
Matasi, J.J., see Daunais, J.B. (50) 293
McKinley, M.J., see Sinnayah, P. (50) 43
McKinney, M., see Sugaya, K. (50) 305
Meinhold, H., see Eravci, M. (50) 221
Merlie, J.P., see Liu, J. (50) 33
Mikoshiba, K., see De Bergeyck, V. (50) 85
Miller, M.A., see Tseng, J.Y. (50) 100
Minami, M., see Nishiyori, A. (50) 237
Minotti, G., see Mancuso, C. (50) 267
Mitchell, M.D., see Walton, M. (50) 165
Miwa, A., see Sudo, M. (50) 91
Miyata, T., see De Bergeyck, V. (50) 85
Morganti-Kossmann, M.C., see Stahel, P.F. (50) 205
Motte, J.E., Da Silva Fernandes, M.J., Marescaux, C. and Nehlig, A.
Effects of pentylenetetrazol-induced status epilepticus on c-Fos and HSP72 immunoreactivity in the immature rat brain (50) 79
Mouradian, M.M., see Bishop, J.F. (50) 154
Mueller, G.P., see Bishop, J.F. (50) 154
Mukouyama, Y., Kuroyanagi, H., Shirasawa, T., Tomoda, T., Saffen, D., Oishi, M. and Watanabe, T.
Induction of protein tyrosine phosphatase ϵ transcripts during NGF-induced neuronal differentiation of PC12D cells and during the development of the cerebellum (50) 230
Mulder, H., Zhang, Y., Danielsen, N. and Sundler, F.
Islet amyloid polypeptide and calcitonin gene-related peptide expression are upregulated in lumbar dorsal root ganglia after unilateral adjuvant-induced inflammation in the rat paw (50) 127

Naerhuyzen, B., see De Bergeyck, V. (50) 85
Nakajima, K., see De Bergeyck, V. (50) 85
Nakamura, A., see Okano, T. (50) 190
Navarra, P., see Mancuso, C. (50) 267
Nehlig, A., see Motte, J.E. (50) 79
Nicolaïdis, S., see Fetissov, S. (50) 314
Nisbet, A.P., see Eve, D.J. (50) 59
Nishibayashi, S., see Iwata, E. (50) 213
Nishiyori, A., Minami, M., Takami, S. and Satoh, M.
Type 2 interleukin-1 receptor mRNA is induced by kainic acid in the rat brain (50) 237
Nishizaki, T. and Sumikawa, K.
Lysophosphatidic acid potentiates ACh receptor currents by G-protein-mediated activation of protein kinase C (50) 121

Ogawa, M., see De Bergeyck, V. (50) 85
Ogawa, N., see Iwata, E. (50) 213
Oishi, M., see Mukouyama, Y. (50) 230
Okado, H., see Sudo, M. (50) 91
Okano, T., Takanaka, Y., Nakamura, A., Hirunagi, K., Adachi, A., Ebihara, S. and Fukada, Y.
Immunocytochemical identification of pinopsin in pineal glands of chicken and pigeon (50) 190
O'Malley, K.L., see Liu, J. (50) 33
Ozawa, S., see Sudo, M. (50) 91

Parks, T.N., see Ravindranathan, A. (50) 143
Pinna, G., see Eravci, M. (50) 221
Porrino, L.J., see Daunais, J.B. (50) 293
Preziosi, P., see Mancuso, C. (50) 267
Pujol, J.-F., see Bezin, L. (50) 23

Racagni, G., see Riva, M.A. (50) 136
Rao, M.S., see Ravindranathan, A. (50) 143
Raskind, M.A., see Tseng, J.Y. (50) 100
Ravindranathan, A., Parks, T.N. and Rao, M.S.
New isoforms of the chick glutamate receptor subunit GluR4: molecular cloning, regional expression and developmental analysis (50) 143
Riva, M.A., Tascedda, F., Lovati, E. and Racagni, G.
Regulation of NMDA receptor subunit messenger RNA levels in the rat brain following acute and chronic exposure to antipsychotic drugs (50) 136
Rodriguez-Gabin, A.G., see Burcelin, R. (50) 9

Saffen, D., see Mukouyama, Y. (50) 230
Salin, P., see Compan, V. (50) 246
Salin, P., see Liévens, J.-C. (50) 181
Satoh, M., see Nishiyori, A. (50) 237
Schmitz, B., see Gillardon, F. (50) 16
Schreiber, B.M., see Shanmugaratnam, J. (50) 113
Schulz, O., see Eravci, M. (50) 221
Sethy, V.H., see Stratman, N.C. (50) 107
Shanmugaratnam, J., Berg, E., Kimerer, L., Johnson, R.J., Amaratunga, A., Schreiber, B.M. and Fine, R.E.
Retinal Muller glia secrete apolipoproteins E and J which are efficiently assembled into lipoprotein particles (50) 113
Shirasawa, T., see Mukouyama, Y. (50) 230
Sinnayah, P., Kachab, E., Haralambidis, J., Coghlan, J.P. and McKinley, M.J.
Effects of angiotensinogen antisense oligonucleotides on fluid intake in response to different dipsogenic stimuli in the rat (50) 43
Sirimanne, E., see Walton, M. (50) 165
Song, L., see Jope, R.S. (50) 171
Staecker, H., see Gabaizadeh, R. (50) 71
Stahel, P.F., Kossmann, T., Morganti-Kossmann, M.C., Hans, V.H.J. and Barnum, S.R.
Experimental diffuse axonal injury induces enhanced neuronal C5a receptor mRNA expression in rats (50) 205
Stratman, N.C., Carter, D.B. and Sethy, V.H.
Ibuprofen: effect on inducible nitric oxide synthase (50) 107
Sudo, M., Tsuzuki, K., Okado, H., Miwa, A. and Ozawa, S.
Adenovirus-mediated expression of AMPA-type glutamate receptor channels in PC12 cells (50) 91
Sugaya, K., Clamp, C., Bryan, D. and McKinney, M.
mRNA for the m4 muscarinic receptor subtype is expressed in adult rat brain cholinergic neurons (50) 305
Sumikawa, K., see Nishizaki, T. (50) 121
Sun, W., see Cho, S. (50) 51
Sundler, F., see Mulder, H. (50) 127

Takami, S., see Nishiyori, A. (50) 237
Takanaka, Y., see Okano, T. (50) 190
Tascedda, F., see Riva, M.A. (50) 136
Temlett, J., see Eve, D.J. (50) 59
Thornley, C., see Daunais, J.B. (50) 293
Todd, R.D., see Liu, J. (50) 33
Tomoda, T., see Mukouyama, Y. (50) 230
Tseng, J.Y., Kolb, P.E., Raskind, M.A. and Miller, M.A.
Estrogen regulates galanin but not tyrosine hydroxylase gene expression in the rat locus ceruleus (50) 100
Tsuzuki, K., see Sudo, M. (50) 91

Van De Water, T.R., see Gabaizadeh, R. (50) 71

Walton, M., Sirimanne, E., Williams, C., Gluckman, P.D., Keelan, J., Mitchell, M.D. and Dragunow, M.
Prostaglandin H synthase-2 and cytosolic phospholipase A_2 in the hypoxic-ischemic brain: role in neuronal death or survival? (50) 165

Watanabe, T., see Mukouyama, Y. (50) 230
Waxman, S.G., see Fjell, J. (50) 197
Weissmann, D., see Bezin, L. (50) 23
Williams, C., see Walton, M. (50) 165
Wolffgramm, J., see Eravci, M. (50) 221
Wuttke, W., see Cho, S. (50) 51

Yu, L. and Colvin, R.A.
Regional differences in expression of transcripts for Na^+/Ca^{2+} exchanger isoforms in rat brain (50) 285

Zhang, Y., see Mulder, H. (50) 127
Zimmermann, M., see Gillardon, F. (50) 16